



LADTECH, INC.
Product Information Sheet
 Phone: (651)415-1252 Fax: (651)415-1090
 E-mail: ADJRING@LADTECH.COM

Item Number	USE FOR MANHOLE SIZE	ADJUSTMENT HEIGHT	Pallet Count	Part Weight oz. / (Lbs)	Pallet Weight lbs	Density/ Class	Size in Cubic Ft	STACK HEIGHT	Pallet Dimensions
24R125	24"	1 1/4"	69	66.9 oz (4.18 lbs)	308	5 / 150	61.5	91"	34x34x92
24R150		1 1/2"	58	75.20 oz (4.7 lbs)	293	4.9 / 150	62.2	92"	34x34x92
24R200		2"	43	91.20 oz (5 lbs 7 oz)	265	4.1 / 151	61.5	91"	34X34X92
24R400		4"	21	160 oz (10 lbs 5 oz)	231	3.8 / 250	60.9	89"	34x34x92
24S150		3/4" to 1 1/2"	79	62.8 oz (3.92 lbs.)	330	5.2 / 150	62.9	92"	34x34x94
27R125	27"	1 1/4"	69	74.4 oz (4.65 lbs)	341	4.7 / 150	72.9	91"	37x37x92
27R150		1 1/2"	58	77.9 oz (4.87 lbs)	303	4.1 / 150	73.7	92"	37x37x93
27R200		2"	43	90.1 oz (5.63 lbs)	262	3.6 / 250	72.9	91"	37x37x92
27R400		4"	21	169.5 oz (10.59 lbs)	242	3.4 / 250	72.1	89"	37x37x91
27S150		3/4" to 1 1/2"	79	70.6 oz (4.41 lbs)	369	4.9 / 150	74.5	92"	37x37x94
30F150	30"	1 1/2"	58	87.20 oz (5 lbs 45 oz)	336	3.5 / 250	86.1	92"	40x40x93
30F225		2 1/4"	38	110.40 oz (6 lbs 90 oz)	282	3.1 / 250	86.1	90"	40x40x93
30F400		4"	21	181.60 oz (11 lbs 35 oz)	259	3 / 250	84.3	89"	40x40x91
30S225		1 1/2" to 2 1/4"	47	94.40 oz (5 lbs 90 oz)	298	3.5 / 250	85.2	91"	40x40x92
32F200	32"	2"	43	99.7 oz (6.23 lbs)	288	3.1 / 250	93.9	91"	42x42x92
32F300		3"	29	135.7 oz (8.48 lbs)	266	2.8 / 250	93.9	92"	42x42x92
32S225		1 1/4" to 2 1/4"	51	96.8 oz (6.05 lbs)	329	3.1 / 250	93.9	91"	42x42x92
34F200	34"	2"	43	96.8 oz (6.05 lbs)	280	3 / 250	93.9	91"	42x42x92
34F300		3"	29	122.4 oz (7.65 lbs)	242	2.6 / 250	93.9	92"	42x42x92
34S225		1 1/4" to 2 1/4"	51	84 oz (5.25 lbs)	288	3.1 / 250	93.9	91"	42x42x92
2424F150	24"X24"	1 1/2"	58	114.4 oz (7.15 lbs)	435	7 / 125	62.2	92"	34x34x93
2424F200	24"X24"	2"	43	142.1 oz (8.88 lbs)	402	6.5 / 125	62.2	91"	34x34x93
2424F275		2 3/4"	32	178.3 oz (11.14 lbs)	377	6.1 / 125	61.5	93"	34x34x92
2424S125		1 1/4" to 2 3/4"	44	123.9 oz (7.74 lbs)	361	5.9 / 150	61.5	93"	34x34x92
2424S275		2" to 2 3/4"	38	174.4 oz (10.90 lbs)	434	6.8 / 125	63.6	94"	34x34x95
2436F150	24"X36"	1 1/2"	58	119.4 oz (7.46 lbs)	453	5.4 / 150	83.3	92"	34x46x92
2436F200		2"	43	156.5 oz (9.78 lbs)	441	5.3 / 150	83.3	91"	34x46x92
2436F275		2 3/4"	32	186.4 oz (11.65 lbs)	393	4.7 / 150	83.3	93"	34x46x92
2436SX175		1 1/4" to 1 3/4"	58	129.3 oz (8.08 lbs)	489	5.9 / 150	83.3	92"	34x46x92
2436SX275	24"36"S	3" LEG	44	158.7oz (9.92 lbs)	456	5.5 / 150	83.3	93"	34x46x92
24536X275	24"S36"	2" LEG	44	165.3 oz (10.33 lbs)	475	5.7 / 150	83.3	93"	34x46x92
SPACER RINGS									
SP24FS-025	final grade 24"X1/4" spacer		up to 100	56.0 oz (3 lbs 5 oz)	1589				
SP27FS-025	final grade 27"X1/4" spacer		up to 100	57.60 oz (3 lbs 6 oz)	1633				
SP30FS-025	final grade 30"X1/4" spacer		up to 100	60.80 oz (3 lbs 8 oz)	1724				
SP2424FS-025	final grade 24"X24"X1/4" spacer		up to 100						
SP2436FS-026	final grade 24"X36"X1/4" spacer		up to 100						

****PALLETS ARE APPROXIMATELY 4.50" HIGH****

Pallets weigh approximately 20 # each-is included in stack weight

It appears that the NMFC # varies on some of these shipments. Sometimes it is 156600 and other times it is 118150.

NMFC # 156600-4 cl 150 or 03- class 250 is for plastic/rubber articles

NMFC# 118150-4 cl 150 or 03- cl 250 is for rings for related to machinery group.

Both NMFC are based on the freight dimensions. We usually go with the first one

Standard of Specification for Highway and Bridges
 AASHTO - HS 20 to 44 highway loading
 ASTM standard 4976



Butyl Rubber Caulking Material

Pricing Structure Per Case

ITEM NAME

ASTM Standard - C-990

PS-Caulking Tubes Trowelable Tubes (12 tubes per case)

1 Tube of Butyl will be able to seal approximately 2 to 2 1/2 adjustment rings

PS- Caulking Roll 3/4" X 14'6" Per Roll - 8 rolls Per Carton
32lbs per case

Pro Stick 1/2" round by 21'9" (12 rolls per carton)
Carton Quantity

1" X 14 1/2 ' Butyl Rope - 6 rolls per box
Carton Quantity

3/8" round by 15' (12 rolls case) rope form.
15# per carton of 12
Carton Quantity

1 Roll of Butyl will be able to seal approximately 2 adjustment rings

NOTE: Butyl prices are subject to change within the year due to supplier demands



Ladtech, Inc.
6704 Meadowlark Court
Lino Lakes, MN 55038

Phone: (651) 415-1252
Fax: (651) 415-1090
E-mail: ADJRING@LADTECH.COM
website: WWW.LADTECH.COM

REMIT PMT: LADTECH, INC.
VB Box 135
PO Box 9202
Minneapolis, MN 55480-9202

All Sales are FOB Sparta, WI 54656



SP24FS-025
SP27FS-025
SP30FS-025

Ladtech's delivery service policy:

Ladtech prefers customers order full pallet quantities whenever possible, but has always been able to supply additional shipping requests for most orders. However, with Ladtech not being directly involved in the packaging and shipping process they are required to pay additionally for miscellaneous pallet quantity shipments. In other words, if you have to order less than pallet quantity or a partial pallet with mixed part numbers you will have to pay \$10.00 **per part number** on each pallet that has been broken up from a full pallet quantity order.

Ladtech's shipping days are on Monday, Tuesday, Wednesday and Thursday. If you send an order late Thursday or Friday your shipment will not leave until the following week. Orders are filled in the order they are received to the shipping department and the availability of stock. Collect orders ship faster than a FOB order due to wait time on quotes for FOB shipments. The shipping department does not receive an order until all FOB freight quotes are received back.

- * Shipping & FOB is directly out of Sparta Wisconsin - zip: 54656
- * When shipping collect please specify carrier on purchase order.
- * When shipping 3rd party, your carrier account number is required on the purchase order.